

SUPER MB STAR NET 03-2012



A: OBDII 16Pin B: USB Cable C: Express To RS232 Card D: Multiplexer E: RS232 To RS485 Cable
F: Verification Letter G: 14Pin Cable H: 38Pin Cable I: Driver for Express J: Driver for PCMCIA
K: PCMCIA To RS232 Card L: USB Key M: 4Pin Cable N: Mobile HDD (Normal Version)

**To protect your rights, please buy Official
Authorized Tools!**

Super MB STAR 03-2013 Description

Description

Super MB STAR is one of the best after-market tools for Bens diagnostic, coding/programming in the world, it is also an up-to-date tool for online upgrade directly, work with any laptops, compatible with Windows7/XP/VISTA/2000/Mac/Linux operation system, software including Xentry for new released **C204/ C205/ CLA117/ GLC156/ E207/ E212**, ect., which are able to work with Benz cars, trucks, Sprinters, Vans, Smart, Cobus, FUSO, BHARATBENZ, FOTON, etc.

The new Super MB STAR Net 03-2013 released **Internal HDD software** fit for: **Lenovo Series** (X61T, X60, T60, T61, T400, E420, E430, etc.) **HP Series**, **Dell Series** (D630, D620, E6420, E6430, etc.) **Toshiba Series**, **Fujin Series**.

Update official website: www.supermbstar.com

New features of Super MB Star 03/2013:

- ★ Password Letter verification of your Super MB STAR Online
- ★ Latest version 03/2013
- ★ No need to active EPC/WIS any more, double click the icon then use it
- ★ New cars of C-Class 205, CLA117, GLC156, B 246, CLS 218, SLK172, BHARATBENZ, CLC 171, etc., are released in this version
- ★ **Online SCN Coding**/offline SCN Coding/offline coding are all available with this new version
- ★ New function WIS and EPC DATACARD is added
- ★ The car **PL67 (01-2013 Version)** is added to Benz price list
- ★ Online updater client platform **STAR Updater V3.0.0.1** for users' easier upgrade.
- ★ Support the hardware quick self-test and the software to be quickly recovery
- ★ **FDOK Key Calculator** (*Top version only*)
- ★ Adjust truck Speed Limitation function (*Top version only*)

- ★ SBC Reset function (**Top version only**)
- ★ TV Activation function (**Top version only**)
- ★ DPF Regeneration (**Top version only**)
- ★ No need password when you choose special function in DAS of W204 (**Top version only**)
- ★ Start HHT Win from desktop icon directly, no need start from DAS.
- ★ **Offline Coding** key provide service. (**Top version only**)

Product software includes:

DAS: the automatically Diagnosis Assistance System

WIS.net: Workshop Information System

EPC.net: Electronic Parts Catalog

ST Finder: Part location finder

STARUTILITIES: the movement management system and self-test

PL 67: Price List tool to find out how much price by input the parts number

Xentry: New software released by Benz Company after 04/2009 by diagnosis new cars.

Smart TAN Code: Opened special function in DAS program with Smart cars 450/451/452/454, even with the new type smart

Developer model: Engineer mode, remove limitations and open more Special functions.

Benz Disassembly system: Video lessons to teach you how to remove each part from Benz cars with details order steps.

Software language: Multi-languages 23 Languages, you can choose the one you need when you using it.

Normal version: One of 23 languages

Top version: (23 Languages all)

STAR UPDATER V3.0.0.1: Online upgrade tool for Super MB STAR users.

Product hardware includes:

- ★ **Multiplexer:** Super MB STAR Diagnostic interface

- ★ **OBDII 16Pin:** For cars with OBDII port
- ★ **Sprinter 14Pin:** For sprinter cars or some vans
- ★ **38Pin Cable:** For old Benz cars with 38 Pin port
- ★ **4Pin Cable:** For old Benz cars fit for 4 Pin port
- ★ **RS232 To RS485 Serial Cable:** Connect Multiplexer to PC/Laptop
- ★ **Mobile HDD with USB Cable:** with all the software pre-installed work with any laptops by USB
- ★ **USB KEY:** Security USB Encryption
- ★ **Verification Letter with Password inside:** Used for verify the Super MB STAR and upgrade password.
- ★ **PCMCIA or Express Card:** Used for laptop without serial port

Hardware and software requirements:

Hardware requires at least Intel Celeron/Pentium 2.0GHz, 2G RAM, USB 2.0 recommended and Microsoft Windows 2000/XP/Vista/7 latest service pack installed.

F&Q

★ ***How many years of free updating can we enjoy?***

Super MB STAR provides one year free update online service. Super MB STAR Lite provides 3 months free update online service.

★ ***What else shall I do before using this item?***

You need setting some configurations before using this tool, we have both video and user manual to teach you how to do that, just follow the steps.

★ ***Super MB STAR is able to work with Trucks and change the speed limitation?***

Yes, Super MB STAR is able to work with different kinds of Benz trucks, and it is able to change the speed limitation, please do that under the legal permission.


★ *What should I do if I do not know how to setting or face some difficulty when install the software?*

We provide online service 24 HRs, our after-sales service men can help you solve the problem through teamviewer, just contact the sales.


★ *Is this tool able to work with Reset the SBC Function?*

The Super MB STAR Top Version provides you SBC Reset, TV active and some other functions.


New Windows Welcome icons




NEW DAS Version



Version Over All



New Xentry Version



Xentry TIPS Function (Need SCN account)

The screenshot shows the Xentry TIPS interface with a navigation menu at the top including 'Anderungen', 'Suche', 'Meine Suchen', and 'Info'. Below the menu is a table titled 'Release/Version' and 'Wichtige Informationen / Neue Funktionen'. The table lists updates from v2.2 to v2.10, each with a date and a list of changes or new features.

Release/Version	Wichtige Informationen / Neue Funktionen
v2.10 03/2011	<ul style="list-style-type: none"> Technische Migration Akamai Unterstützung
v2.8 09/2010	<ul style="list-style-type: none"> Der TIPS-Reader ist an den neuen Styleguide der Daimler AG angepasst. Fehler, die durch falsch administrierte User hervorgerufen werden, werden dem User mithilfe eines passenden Hinweistexts angezeigt (z.B. "Ihre Benutzereinstellungen für TIPS sind ungültig [ggf. Grund]. Bitte kontaktieren Sie Ihren Administrator.").
v2.6 03/2010	<p>Reader Themenmodul</p> <ul style="list-style-type: none"> Nach der Fahrzeugfestlegung und dem Starten von TIPS kann unter "Suche" direkt nach einer GI oder LI gesucht werden (unter "Dokumentnummer").
v2.4 09/2009	<ul style="list-style-type: none"> Beim Speichern eines TIPS Themas als PDF wird ein eindeutiger Dateiname vergeben Beim Speichern eines TIPS Fall/ TPR als PDF wird ein eindeutiger Dateiname vergeben. In der Dokumentenanzeige entfällt die Auflistung der Gültigkeiten. Das Fallmodul wird um zusätzlich benötigte Datenfelder in den Registern "Fall" und "Zustandsdaten" erweitert. Die User-ID des angemeldeten Anwenders wird beim Ausdrucken eines Dokumentes, eines Falles oder eines TPR hinzugefügt. Die Darstellung des Symptombaums für die Themensuche wird übersichtlicher.
v2.2 04/2009	<p>1. Fallmodul</p> <ul style="list-style-type: none"> PDF-Generierung über Druckbutton im Fallmodul: Beim Betätigen des Druckbuttons wird aus dem Fall ein pdf erstellt, das gedruckt werden kann. <p>2. Themenmodul</p> <ul style="list-style-type: none"> Aktivierung des Druckbuttons im Reader: Der Druckbutton in der Themenansicht ist aktiviert. Anzeige von Anhängen gemäß Zuordnung Beanstandung, Ursache, Abhilfe, Teile: Anhänge werden gemäß ihrer Zuordnung zu Beanstandung, Ursache, Abhilfe, Teile stets unterhalb des jeweiligen Feldes angezeigt. Entfall der Serienmaßnahmen


Xentry Version

The screenshot shows the Xentry System settings interface. The 'System and data version of XENTRY diagnostics' section is highlighted, displaying the following information:


Selection	System and data version of XENTRY diagnostics
General	12.0.5.1 XENTRY diagnostics version
Setting date and time format	DVD 03/2013 Data release of XENTRY Diagnostics
Setting language	1.2.11.0 Software version of ASAM server
System and data version of XENTRY diagnostics	8.2.91 Software version of ASAM server
Setting unit system	
Activation of text ID display	
Setting the paper format	
Feedback	
Central feedback function	
Support data	
Vehicle determination	
Brand preselection	
Product group preselection	

Below the table, there is an 'Information' section with the text: 'System and data version of XENTRY diagnostics'.

Xentry Developer mode



Xentry Special Function



New Xentry Van List

XENTRY Mercedes-Benz

Brand > Product group

Mercedes-Benz

VIN Passenger car **Van** Truck Unimogs Busses Super sports cars Industrial major assemblies

MB 100 (631)	T1	Sprinter III	Sprinter II	Sprinter I	Sprinter 900	Citan	Vito (639)
Vito (638)	V (638)	Viano (639)	T2	Vario	Vaneo (414)		

If the model series you are looking for is not listed here, switch directly to your replacement parts ordering system or the Workshop Information System. Other model series can then be selected there.

New Xentry Truck List

XENTRY Mercedes-Benz

Brand > Product group

Mercedes-Benz

VIN Passenger car Van **Truck** Unimogs Busses Super sports cars Industrial major assemblies

Antos 963/4	Actros 963/4	Actros 2, 3	NGA	Atego II	Axor II	Econic	Zetros
Actros	Atego Light	Atego Heavy	Axor	SK	MK	LK	ACCELO
LN	HSK	L 98	FPN M96	FPN M2000	HPN M96	Atron	HPN M2000
SKL	FSK	Further					

If the model series you are looking for is not listed here, switch directly to your replacement parts ordering system or the Workshop Information System. Other model series can then be selected there.

Automatic vehicle determination

New Xentry Busses List

Mercedes-Benz

Brand > Product group

VIN Passenger car Van Truck Unimogs **Busses** Super sports cars Industrial major assemblies

TRAVEGO	INTOURO	INTEGRO	CITARO II	CITARO	CAPACITY	CITO	TOURISMO
O350/O403	CONECTO	O404	O405-O408	Minibus	OC500	TOURO	TOURINO
MBC	MULTEGO	O500	O500/OH	OH	OH368	OF	OF384
LO	O400	Further					

If the model series you are looking for is not listed here, switch directly to your replacement parts ordering system or the Workshop Information System. Other model series can then be selected there.

Automatic vehicle determination

New Xentry Industrial major assemblies List

Mercedes-Benz

Brand > Product group


VIN Passenger car Van Truck Unimogs **Busses** Super sports cars **Industrial major assemblies**

TRAVEGO	INTOURO	INTEGRO	CITARO II	CITARO	CAPACITY	CITO	TOURISMO
O350/O403	CONECTO	O404	O405-O408	Minibus	OC500	TOURO	TOURINO
MBC	MULTEGO	O500	O500/OH	OH	OH368	OF	OF384
LO	O400	Further					


If the model series you are looking for is not listed here, switch directly to your replacement parts ordering system or the Workshop Information System. Other model series can then be selected there.

Automatic vehicle determination


New Version WIS




WIS Details functions



WIS Datacard Function



New EPC Function




no.	Title
09101	Air filter
09102	Air filter element
09103	Seal ring air filter
09117	Air intake hose/pipe, clean air
09135	Holder, air filter
09138	Air duct, upper, air intake
09177	Lower section, air filter housing
09185	Filter housing
09314	Hose clamp, air intake hose
50306	Charge air hose, charge air cooler/manifold

Fault types	Repair types
04 Leaks	1 Component replacement
07 Torn/cracked	7 Repair using material
36 Noise	8 Repair without using material
38 Loose	9 Parts from workshop to supplier
47 Corroded/oxidized	


Warranty types

- Original equipment/reconditioned part warranty prior to installation


EPC Datacard




New Start Key Center



PL 67 (2013-1) Version



Xentry Works with W212




Super MB STAR Online Verify

Super MB STAR Verification System- Online verify your Super MB STAR - Maxthon Browser 3.2.0.1000

Menu Safe

Verify Online Super MB STAR...

Super MB STAR Verificati... x +



Verify your Super MB STAR Online
If you doubt the product, verify here!

Please Input Your 16 numbers Password:

- - -

Password envelop available from 07/2010.

Copyright © SUPER MB STAR INC.2009-2010 All Rights Reserved.

start EN 15:50

↓ 0.0KB/s ↑ 0.0KB/s 100%